



RAWALPORA SRINAGAR KASHMIR

### **TERM I**

(Cass 9<sup>th</sup> - Chemistry)

NCERT Solution for Class 9 Science - Chapter 3 - Atoms and Molecules

1. In a reaction, 5.3g of sodium carbonate reacted with 6 g of acetic acid. The products were 2.2 g of carbon dioxide, 0.9 g water and 8.2 g of sodium acetate. Show that these observations are in agreement with the law of conservation of mass.

Sodium carbonate + acetic acid  $\rightarrow$  Sodium acetate + carbon dioxide + water

#### Solution:

Sodium carbonate + acetic acid  $\rightarrow$  Sodium acetate + carbon dioxide + water

5.3g 6g 8.2g 2.2g 0.9g

As per the law of conservation of mass, the total mass of reactants must be equal to the total mass of products

As per the above reaction, LHS = RHS i.e., 5.3g + 6g = 2.2g + 0.9g + 8.2g = 11.3g

Hence the observations are in agreement with the law of conservation of mass.

## 2. Hydrogen and oxygen combine in the ratio of 1:8 by mass to form water. What mass of oxygen gas would be required to react completely with 3 g of hydrogen gas?

### Solution:

We know hydrogen and water mix in the ratio 1:8.

For every 1g of hydrogen, it is 8g of oxygen.

Therefore, for 3g of hydrogen, the quantity of x = 3 = 24g

Hence, 24g of oxygen would be required for the complete reaction with 3g of hydrogen gas.

# **3.** Which postulate of Dalton's atomic theory is the result of the law of conservation of mass? Solution:

The postulate of Dalton's Atomic theory which is a result of the law of conservation of mass is,

"Atoms can neither be created nor destroyed".

### 4. Which postulate of Dalton's atomic theory can explain the law of definite proportions?

### Solution:

The postulate of Dalton's atomic theory that can explain the law of definite proportions is - the relative number and kinds of atoms are equal in given compounds.





RAWALPORA SRINAGAR KASHMIR

### **TERM I**

(Cass 9<sup>th</sup> - Chemistry)

NCERT Solution for Class 9 Science - Chapter 3 - Atoms and Molecules

#### 5. Define the atomic mass unit?

#### Solution:

An atomic mass unit is a unit of mass used to express weights of atoms and molecules where one

atomic mass is equal to 1/12th the mass of one carbon-12 atom.

### 6. Why is it not possible to see an atom with naked eyes?

### Solution:

Firstly, atoms are miniscule in nature, measured in nanometers. Secondly, except for atoms of noble

gasses, they do not exist independently. Hence, an atom cannot be visible to the naked eyes.

### 7. Write down the formulae of

- (i) sodium oxide
- (ii) aluminium chloride
- (iii) sodium sulphide
- (iv) magnesium hydroxide

#### Solution:

The following are the formulae:

- (i) sodium oxide Na2O
- (ii) aluminium chloride AlCl3
- (iii) sodium sulphide Na2S
- (iv) magnesium hydroxide Mg (OH)2





RAWALPORA SRINAGAR KASHMIR

### **TERM I**

(Cass 9<sup>th</sup> - Chemistry)

Page **3** of **11** 

### NCERT Solution for Class 9 Science - Chapter 3 - Atoms and Molecules

- 8. Write down the names of compounds represented by the following formulae:
  - (i) Al<sub>2</sub>(SO<sub>4</sub>)<sub>3</sub>
  - (ii) CaCl<sub>2</sub>
  - (iii) K2SO4
  - (iv) KNO3
  - (v) CaCO<sub>3</sub>.

### Solution:

Listed below are the names of the compounds for each of the following formulae

- (i) Al2(SO4)3 Aluminium sulphate
- (ii) CaCl2 Calcium chloride
- (iii) K2SO4 Potassium sulphate
- (iv) KNO3 Potassium nitrate
- (v) CaCO3 Calcium carbonate
- **9. What is meant by the term chemical formula?** Solution:

Chemical formula is the symbolic representation of a chemical compound. For example: The chemical formula of hydrochloric acid is HCl.

### 10. How many atoms are present in a

### (i) H<sub>2</sub>S molecule and

```
(ii) PO4<sup>3-</sup> ion?
```

### Solution:

The number of atoms present are as follows:

(i) H<sub>2</sub>S molecule has 2 atoms of hydrogen and 1 atom of sulphur hence 3 atoms in totality.

(ii)  $PO_4^{3-}$  ion has 1 atom of phosphorus and 4 atoms of oxygen hence 5 atoms in totality.





Solution:

### HOLY FAITH PRESENTATION SCHOOL

RAWALPORA SRINAGAR KASHMIR

#### **TERM I**

(Cass 9<sup>th</sup> - Chemistry)

NCERT Solution for Class 9 Science - Chapter 3 - Atoms and Molecules

### 11. Calculate the molecular masses of H2 , O2 , Cl2, CO2, CH4, C2H6, C2H4, NH3, CH3OH.

The following are the molecular masses:

The molecular mass of H<sub>2</sub>- 2 x atoms atomic mass of H = 2 x 1u = 2u The

molecular mass of  $O_{2-}2 x$  atoms atomic mass of O = 2 x 16u = 32u The

molecular mass of Cl<sub>2</sub>– 2 x atoms atomic mass of Cl = 2 x 35.5u = 71u

The molecular mass of CO<sub>2</sub> - atomic mass of C + 2 x atomic mass of O = 12 + (2x16)u = 44u

The molecular mass of CH<sub>4</sub> - atomic mass of C + 4 x atomic mass of H = 12 + (4 x 1)u = 16u

The molecular mass of C<sub>2</sub>H<sub>6</sub>- 2 x atomic mass of C + 6 x atomic mass of H =  $(2 \times 12) +$ 

(6 x 1)u=24+6=30u

The molecular mass of C<sub>2</sub>H<sub>4</sub>- 2 x atomic mass of C + 4 x atomic mass of H = (2x 12) +

(4 x 1)u=24+4=28u

The molecular mass of NH<sub>3</sub>- atomic mass of N + 3 x atomic mass of H = (14 + 3 x 1)u = 17u

The molecular mass of CH<sub>3</sub>OH - atomic mass of C + 3x atomic mass of H + atomic mass of O + atomic mass of H = (12 + 3x1 + 16 + 1)u = (12 + 3x1 + 16 + 1)u = 32u

## 12. Calculate the formula unit masses of ZnO, Na<sub>2</sub>O, K<sub>2</sub>CO<sub>3</sub>, given atomic masses of Zn = 65u, Na = 23 u, K=39u, C = 12u, and O=16u.

Solution:

Given:

Atomic mass of Zn = 65u

Atomic mass of Na = 23u

Atomic mass of K = 39u

Atomic mass of C = 12u

Atomic mass of O = 16u

The formula unit mass of ZnO= Atomic mass of Zn + Atomic mass of O = 65u+16u = 81u





RAWALPORA SRINAGAR KASHMIR

### **TERM I**

(Cass 9<sup>th</sup> - Chemistry)

NCERT Solution for Class 9 Science - Chapter 3 - Atoms and Molecules

The formula unit mass of Na<sub>2</sub>O = 2 x Atomic mass of Na + Atomic mass of O =  $(2 \times 23)u$  +16u=46u+16u=62u

#### 13. If one mole of carbon atoms weighs 12grams, what is the mass (in grams) of 1 atom of

carbon? Solution:

Given: 1 mole of carbon weighs 12g

1 mole of carbon atoms =  $6.022 \times 10^{23}$ 

Molecular mass of carbon atoms = 12g = an atom of carbon mass

Hence, mass of 1 carbon atom =  $12 / 6.022 \times 10^{23} = 1.99 \times 10^{-23} g$ 

## 14. Which has more number of atoms, 100 grams of sodium or 100 grams of iron (given, atomic mass of Na = 23u, Fe = 56 u)?

#### Solution:

Given: Atomic mass of Na=23u, Atomic mass of Fe= 56u To calculate the number of atoms in 100g of sodium:

23g of Na contains =  $6.022 \times 10^{23}$  atoms 1g of Na contains =  $6.022 \times 10^{23}$  atoms / 23 100g of Na contains =  $6.022 \times 10^{23}$  atoms X 100 / 23 =  $2.6182 \times 10^{24}$  atoms

To calculate the number of atoms in 100g of sodium:

56g of Fe contains =  $6.022 \times 10^{23}$  atoms 1g of Fe contains =  $6.022 \times 10^{23}$  atoms / 56 100g of Fe contains =  $6.022 \times 10^{23}$  atoms X 100 /

$$56 = 1.075 \text{ X } 10^{24} \text{ atoms}$$

Hence, through comparison, it is evident that 100g of Na has more atoms.



RAWALPORA SRINAGAR KASHMIR

### **TERM I**

(Cass 9<sup>th</sup> - Chemistry)

NCERT Solution for Class 9 Science - Chapter 3 - Atoms and Molecules

1. A 0.24g sample of compound of oxygen and boron was found by analysis to contain 0.096g of boron and 0.144g of oxygen. Calculate the percentage composition of the compound by weight.

### Solution:

Given: Mass of the sample compound = 0.24g, mass of boron = 0.096g, mass of oxygen = 0.144g

To calculate percentage composition of the compound:

Percentage of boron = mass of boron / mass of the compound x 100

= 0.096 g / 0.24 g x 100 = 40%

Percentage of oxygen = 100 - percentage of boron

= 100 - 40 = 60%

2. When 3.0g of carbon is burnt in 8.00 g of oxygen, 11.00 g of carbon dioxide is produced. What mass of carbon dioxide will be formed when 3.00g of carbon is burnt in 50.00 g of oxygen? Which law of chemical combination will govern your answer?

Solution:

11.00g of carbon dioxide is formed when 3.00g carbon is burnt in 8.00g of oxygen.

Carbon and oxygen are combined in the ratio 3:8 to give carbon dioxide using up all the carbon and oxygen

Hence, for 3g of carbon and 50g of oxygen, 8g of oxygen is used and 11g of carbon is formed, the

left oxygen is unused i.e., 50-3=47g of oxygen is unused.

This depicts the law of definite proportions - The combining elements in compounds are present in

definite proportions by mass.

### 3. What are polyatomic ions? Give examples.

Solution:

Polyatomic ions are ions that contain more than one atom but they behave as a single unit

Example:  $\text{CO}_3^{2-}$ ,  $\text{H}_2\text{PO}_4^{-}$ 





RAWALPORA SRINAGAR KASHMIR

### **TERM I**

(Cass 9<sup>th</sup> - Chemistry)

**NCERT Solution for Class 9 Science - Chapter 3 - Atoms and Molecules** 

- 4. Write the chemical formula of the following.
  - (a) Magnesium chloride
  - (b) Calcium oxide
  - (c) Copper nitrate
  - (d) Aluminium chloride
  - (e) Calcium carbonate

### Solution:

The following are the chemical formula of the above-mentioned list:

- (a) Magnesium chloride MgCl2
- (b) Calcium oxide CaO
- (c) Copper nitrate Cu(NO<sub>3</sub>)<sub>2</sub>
- (d) Aluminium chloride AlCl3
- (e) Calcium carbonate CaCO<sub>3</sub>

### 5. Give the names of the elements present in the following compounds.

- (a) Quick lime
- (b) Hydrogen bromide
- (c) Baking powder
- (d) Potassium sulphate.

#### Solution:

The following are the names of the elements present in the following compounds:

- (a) Quick lime Calcium and oxygen (CaO)
- (b) Hydrogen bromide Hydrogen and bromine (HBr)





RAWALPORA SRINAGAR KASHMIR

### **TERM I**

(Cass 9<sup>th</sup> - Chemistry)

NCERT Solution for Class 9 Science - Chapter 3 - Atoms and Molecules

- (c) Baking powder Sodium, Carbon, Hydrogen, Oxygen (NaHCO3)
- (d) Potassium sulphate Sulphur, Oxygen, Potassium (K2SO4)

#### 6. Calculate the molar mass of the following substances.

- (a) Ethyne, C2H2
- (b) Sulphur molecule, S8
- (c) Phosphorus molecule, P4 (Atomic mass of phosphorus =31)
- (d) Hydrochloric acid, HCl
- (e) Nitric acid, HNO<sub>3</sub>

#### Solution:

Listed below is the molar mass of the following substances:

- (a) Molar mass of Ethyne C<sub>2</sub>H<sub>2</sub>= 2 x Mass of C+2 x Mass of H = (2x12)+(2x1)=24+2=26g
- (b) Molar mass of Sulphur molecule  $S_8 = 8 \times Mass$  of  $S = 8 \times 32 = 256g$
- (c) Molar mass of Phosphorus molecule,  $P_4 = 4 x$  Mass of P = 4 x 31 = 124 g
- (d) Molar mass of Hydrochloric acid, HCl = Mass of H+ Mass of Cl = 1+35.5 = 36.5g
- (e) Molar mass of Nitric acid, HNO<sub>3</sub> =Mass of H+ Mass of Nitrogen + 3 x Mass of O = 1 + 14 + 3x16 = 63g

#### 7. What is the mass of -

- (a) 1 mole of nitrogen atoms?
- (b) 4 moles of aluminium atoms((Atomic mass of aluminium =27)?
- (c) 10 moles of sodium sulphite (Na<sub>2</sub>SO<sub>3</sub>)?

#### Solution:

The mass of the above mentioned list is as follows:





RAWALPORA SRINAGAR KASHMIR

### **TERM I**

(Cass 9<sup>th</sup> - Chemistry)

NCERT Solution for Class 9 Science - Chapter 3 - Atoms and Molecules

(a) Atomic mass of nitrogen atoms = 14u

Mass of 1 mole of nitrogen atoms= Atomic mass of nitrogen atoms Therefore, mass of 1 mole of nitrogen atom is 14g

(b) Atomic mass of aluminium =27u

Mass of 1 mole of aluminium atoms =

27g

1 mole of aluminium atoms = 27g, 4 moles of aluminium atoms =  $4 \times 27 = 108g$ 

(c) Mass of 1 mole of sodium sulphite Na<sub>2</sub>SO<sub>3</sub> = Molecular mass of sodium sulphite =  $2 \times Mass$  of Na + Mass of S +  $3 \times Mass$  of O =  $(2 \times 23) + 32 + (3 \times 16) = 46 + 32 + 48 = 126g$ 

Therefore, mass of 10 moles of  $Na_2SO_3 = 10 \times 126 = 1260g$ 

#### 8. Convert into mole.

- (a) 12g of oxygen gas
- (b) 20g of water
- (c) 22g of carbon dioxide

#### Solution:

Conversion of the above-mentioned molecules into moles is as follows:

(a) Given: Mass of oxygen gas=12g

Molar mass of oxygen gas = 2 Mass of Oxygen =  $2 \times 16 = 32g$ 

Number of moles = Mass given / molar mass of oxygen gas = 12/32 = 0.375 moles

(b) Given: Mass of water = 20g

18g Number of moles = Mass given / molar mass of water

$$= 20/18 = 1.11$$
 moles





RAWALPORA SRINAGAR KASHMIR

### **TERM I**

(Cass 9<sup>th</sup> - Chemistry)

**NCERT Solution for Class 9 Science - Chapter 3 - Atoms and Molecules** 

(c) Given: Mass of carbon dioxide = 22gMolar mass of carbon dioxide = Mass of C + 2 x Mass of Oxygen = 12 + 2x 16 = 12 + 32 = 44g

Number of moles = Mass given/ molar mass of carbon dioxide = 22/44 = 0.5 moles

#### 9. What is the mass of:

- (a) 0.2 mole of oxygen atoms?
- (b) 0.5 mole of water molecules?

#### Solution:

The mass is as follows:

(a) Mass of 1 mole of oxygen atoms = 16u, hence it weighs

16g Mass of 0.2 moles of oxygen atoms =  $0.2 \times 16 = 3.2u$ 

(b) Mass of 1 mole of water molecules = 18u, hence it weighs

18g Mass of 0.5 moles of water molecules =  $0.5 \times 18 = 9u$ 

### 10. Calculate the number of molecules of sulphur (S8) present in 16g of solid sulphur.

Solution:

To calculate molecular mass of sulphur:

Molecular mass of Sulphur  $(S_8) = 8xMass$  of Sulphur = 8x32 =

256g Mass given = 16g

Number of moles = mass given/ molar mass of

sulphur = 16/256 = 0.0625 moles

 $= 0.0625 \text{ x } 6.022 \text{ x } 10^{23} \text{ molecules}$ 

 $= 3.763 \times 10^{22}$  molecules



RAWALPORA SRINAGAR KASHMIR

**TERM I** 

(Cass 9<sup>th</sup> - Chemistry)

**NCERT Solution for Class 9 Science - Chapter 3 - Atoms and Molecules** 

### 11. Calculate the number of aluminium ions present in 0.051g of aluminium oxide.

# (Hint: The mass of an ion is the same as that of an atom of the same element. Atomic mass of Al = 27u)

Solution:

To calculate the number of aluminium ions in 0.051g of aluminium oxide:

1 mole of aluminium oxide =  $6.022 \times 10^{23}$  molecules of aluminium oxide

1 mole of aluminium oxide  $(Al_2O_3) = 2 x$  Mass of aluminium + 3 x Mass of

 $Oxygen = (2x \ 27) + (3 \ x16) = 54 + 48 = 102g$ 

1 mole of aluminium oxide =  $102g = 6.022 \times 10^{23}$  molecules of aluminium

oxide Therefore, 0.051g of aluminium oxide has =  $0.051 \times 6.022 \times 10^{23} / 102$ 

 $= 3.011 \times 10^{20}$  molecules of aluminium oxide

One molecule of aluminium oxide has 2 aluminium ions, hence number of aluminium ions present in 0.051g of aluminium oxide =  $2 \times 3.011 \times 10^{20}$  molecules of aluminium oxide

 $= 6.022 \times 10^{20}$